

M

firagold

CERTIFICATION




Manufacturing

Guild Mark


Awarded by The Furniture Makers' Company

Shallow Drawer Cabinets


1




2




3




4




5



6



7





INSTALLATION GUIDE



Please read these instructions carefully before proceeding.

This instruction is used in conjunction with the Installation Guide.

Important: Installation shall be carried out exactly according to the manufacturer's instructions otherwise a safety risk can occur if incorrectly installed.

Warning: In order to prevent cabinets overturning or falling down, they must be used with the wall attachment device(s) provided. Before fixing any cabinets to the wall, ensure the wall construction is capable of taking the weight of the loaded cabinet and the appropriate fixings are used. If in doubt, consult an expert.

Note: Wall fixing screws are not supplied due to different wall types requiring different fixings.

Caution: Some small pieces of hardware could be hazardous to small children. Keep all of these items out of reach and do not leave children unattended in the assembly area.



1 - 4



Single Cabinet
(600mm illustrated)



x2 per frontal
94405709




x1 per cabinet
XXXXXXX




x4 94356602
Ø 3.5x15 CSK




x1 - 4 pack 94401898



x2 - 94406413
x4 - 94358032 Ø3.5x15 RHD



x2 - 94406413
x4 - 94358032
Ø3.5x15 RHD



x2 - 95400064 rail
x2 - 94381799 adapter
x2 - 94356602 Ø3.5x15 CSK



5 - 7



Double Cabinet
(1000mm illustrated)



x2 per frontal
94405709




x1 per cabinet
XXXXXXX



x4 94356602
Ø 3.5x15 CSK




x1 - 5 pack 94401899




x2 - 94406413
x4 - 94358032 Ø3.5x15 RHD



x2 - 94406413
x4 - 94358032
Ø3.5x15 RHD



x2 - 95400064 rail
x2 - 94381799 adapter
x2 - 94356602 Ø3.5x15 CSK




1




Shallow Drawer
Cabinets

1 1 - 7 Remove Drawer(s)


Lift and drop to remove drawer(s).



2 1 - 7 Attach Legs




3 1 - 4 Insert Worktop Blocks




To secure the worktop, the drawer runners must first be removed.

4 1 - 4 Back Panel Removal (Optional)




5 1 - 7 Secure to Wall



Adjust as needed: max. 10mm

Wall fixing screws are not supplied due to different wall types requiring different fixings.

6 1 - 7 Connecting Cabinets




Advise using 4 screws minimum

25-30mm








Shallow Drawer
Cabinets


7a 1 - 7 Fixing Drawer to Front



7b 1 - 7 Fixing Drawer to Front



Drawer frontal adjustment



Remove drawer frontal

Fit cover cap

